

Section through Head


StonePlus fixed to structure with 5mm polymer adhesive. Mechanical fix is optional to hold stone in place whilst adhesive sets.

Expanding sealing tape or similar approved.

NOTES:


All stone to have proprietary silicone Movement/Expansion joints. Generally to one side of individual pieces such as cills; and every 6m in long adjoining lengths, ie, string courses and copings.

All structure shown is indicative and to be designed and detailed by others.




Section through Cill


StonePlus fixed to structure with 5mm polymer adhesive.



Plan through Jamb



Elevation of Cill's Stool



ICF - Window Elevation with stone surround

MONOLITH

Unit 34, LLys Edmund Prys, St. Asaph Business Park,
St. Asaph, Denbighshire LL17 0JA
+44(0)1745 535855 - email: info@monolith.build

DO NOT SCALE
The information on this drawing is given in strict confidence, and remains the property of Monolith.
No unauthorised copying or re-distribution is permitted.
The quantities, dimensions, and details of our products are estimated based upon information provided by the client. These should be verified by the client or appropriate agent as no guarantee as to the fittingness for the project is offered.

Title
ICF - Generic window surround details

Project
Standard Range

Rev.	Description	By	Date
A	1st Issue	NC	24.05.17

Scale
1:5 @ A3
Material
StonePlus & BrickPlus

Project Code
Standard Range
Drawing number
C-00621